TABLE 1<u>6</u>9 CHARLES RIVER BASIN (72)

BOUNDARY	MILE POINT	CLASS	QUALIFIERSOTHER
RESTRICTIONS			reinstein Cont. Control
Charles River			(Month to
Source to Dilla Street and tributaries thereto	78.9 - 76.5	A	Public Water Supply
Dilla Street to Milford-STPWWTF	76.5 - 73.4	В	Aquatic Life
Milford STP <u>WWTF</u> to outlet Populatic Pond	73.4 - 58.9	В	Warm Water
Outlet Populatic Pond to South Natick Dam	58.941.0	В	Warm Water
South Natick Dam to Watertown Dam	41.09.8	В	Warm Water
Charles Basin			(v.Point (Flint's Pond)
Watertown Dam to <u>BU BridgeScience</u>	ce Park_9.8 - <u>3.7</u> -1.2	В	Warm Water CSO
Charles Basin BU Bridge to	3.7-0.7	В	Warm Water CSO
New Charles River Dam Muddy River		14	<u>C50</u>
Entire Length	2.7 - 0.0	B(CSO)	Warm Water CSO
Mine Brook			
Source to <u>former</u> Franklin STP	7.2 - 4.0	В	Warm Water High Quality Water
Former Old Franklin STP to conflue	nce 4.0 - 0.0	В	Warm Water

4.06: continued	TABLE 16 (co	ntinued)		bounitooo .
	CHARLES RIVI			
	(CC) MEA	ARTES REPORTED		
BOUNDARY	MILE POINT	CLASS	QUALIFIERS	28
HERSOTHER				PARY
Unnamed tributary (Sugar Brook)	4 2 2			Evis while
Entire Length	3.0 - 0.0	В	Warm Water High Quality Water	e to Dilla Su chouries the
Stony Brook Reservoir (Turtle	e Pond)			
1511.1 16	miniA H.s			
Source to outlet in Weston/Walth	am and -	A	Public Water Supply	1
those tributaries thereto				
Cambridge Reservoir (Hobbs Brook Lower Reservoir)				algric Pond el Pondatio P
<u> </u>				Dany
Source to outlet in Waltham and	- 7 *	A	Public Water Supply	
those tributaries thereto				
Sandy Pond (Flint's Pond)				To grades Bossin
Source to outlet in Lincoln and those tributaries thereto	B - Wgam CSO	A	Public Water Supply	edewo Daes, i

314 CMR: DIVISION OF WATER POLLUTION CONTROL

4.06: continued		8	- Sala Loi
wigner Stepsie		VER BASIN (72)	e to outlet in Hopkintas
BOUNDARY MILE POINT	CLASS	OTHER RESTRICTION	ONS

314 CMR: JIVISION OF WATER POLLUTION JONTROL

Echo Lake

Source to outlet in Hopkinton and those tributaries thereto

Public Water Supply

Louisa Lake

Lake to outlet in Milford and those tributaries thereto

A

Public Water Supply

4.06: continued		*	lingsmod
	TABLE 2		en monetano
	THE CHALL KIVEN	DADIN (75)	
BOUNDARY MILE POINT	CLASS	<u>OTHER R</u>	<u>ESTRICTIONS</u>
Neponset Reservoir			
Upstream of dam at outlet of Crackrock Pond	Above 29.5	В	Warm Water High Quality Water
Neponset River			
Source to Mother Brook	29.5 - 7.9	В	Warm Water
Mother Brook to Milton Lower Falls Dam, Milton/Boston	7.9 - 4.2	В	Warm Water ——CSO
Tidal Portion	4.2 - 0.0	SB	Shellfishing (R)

e e	TADI	E 21	
WEY	TABLI MOUTH AND WEI		S (74)
BOUNDARY MILE POINT	CLASS	OTHER RI	ESTRICTIONS
Weymouth Fore River		SB*	Shellfishing (R)
•		B*	Warm Water
Weymouth Back River	detta	SA*	Shellfishing (O)
	*	B*	Warm Water Outstanding Resource
	Water		Outstanding resource
	10W - 1	2.9	
was Marce			V
Fresh River		В-	Warm Water Outstanding Resource Water
policy goods of	Code 118		Outstanding resource water
		Q.4.	
Weir River	-	SA* B*	— Shellfishing (O) — Outstanding Resource — Water
Construction Description	ž.	В	Outstanding Resource Water
Cranberry Brook	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Б	Outstanding resource water
Cranberry Pond			
Source to outlet in Braintree		В	Outstanding Resource Water
Bouve Pond and Brewer Pond in Hingham		В	Warm Water Outstanding Resource Water
Straits Pond in Hull and		В	Warm Water Outstanding Resource
Cohasset			Water
Great Pond			
Source to outlet in Braintree		Α	Public Water Supply
and those tributaries thereto			

314 CMR: L_VISION OF WATER POLLUTION C_ATROL

— <u>Upper Reservoir</u>	
Source to outlet in Braintree and those tributaries thereto	A Public Water Supply
- Whitmans Pond	
Source to outlet in Weymouth and those tributaries thereto	A Public Water Supply
Richardi Reservoir	
Source to outlet in Braintree and those tributaries thereto	A Public Water Supply

314 CMR: DIVISION OF WATER POLLUTION CONTROL

and those tributaries thereto — Accord Pond Source to outlet in Hingham		TADIE	1 (continued)		
BOUNDARY MILE POINT CLASS OTHER RESTRICTIONS Weymouth Great Pond (Great Pond) Source to outlet in Weymouth and those tributaries thereto Accord Pond Source to outlet in Hingham A Public Water Supp and those tributaries thereto Accord Brook Outlet of Accord Pond to water A Public Water Supp	WEV			JC (74)	
Weymouth Great Pond (Great Pond) Source to outlet in Weymouth A Public Water Supp and those tributaries thereto Accord Pond Source to outlet in Hingham A Public Water Supp and those tributaries thereto Accord Brook Outlet of Accord Pond to water A Public Water Supp	WEY	MOUTH AND W	EIR RIVER DASII	13 (74)	
Source to outlet in Weymouth A Public Water Supp and those tributaries thereto — Accord Pond Source to outlet in Hingham and those tributaries thereto — Accord Brook Outlet of Accord Pond to water A Public Water Supp	BOUNDARY MILE POINT	CLASS	OTHER R	ESTRICTIONS	
and those tributaries thereto — Accord Pond Source to outlet in Hingham And those tributaries thereto — Accord Brook Outlet of Accord Pond to water A Public Water Supp					
Source to outlet in Hingham A Public Water Supp and those tributaries thereto Accord Brook Outlet of Accord Pond to water A Public Water Supp			· A	Public Water Supply	
and those tributaries thereto Accord Brook Outlet of Accord Pond to water A Public Water Supp	Accord Pond	ing — w			
Outlet of Accord Pond to water A Public Water Supp		74	Λ	Public Water Supply	
	Accord Brook		€	*	
cumply intoke and those tributaries			Α	Public Water Supply	
thereto	supply intake and those tributaries thereto	a * * * * -			

TABLE <u>1722</u> NASHUA RIVER BASIN (81)

BOUNDARY N	MILE POINT	CLASS	<u>QUALIFIERSOTHER</u>
RESTRICTIONS		8	threspending a with
Nashua River			gaintide Horagon Lan
Outlet Lancaster Millpond to			gaudicama I lano breve s
confluence with North Nashua River (South Branch Nashua River)	41.0 – 36.4	В	Warm Water
SourceConfluence with North Nashua			. 20021
River to Pepperell Dam	36.4 - 14.1	В	Warm Water
Pepperell Dam to New Hampshire State Line	14.1-10.5	В	Warm Water
North Nashua River			
Source to Leominster POTW, Leominster	54.8 - 48.5	В	Warm Water CSO
Leominster POTW to confluence with the Nashua River	48.5-36.5	В	Warm Water
Phillips Brook			Name Town S. W. St. and S. W.
Fitchburg to confluence	1.0 - 0.0	В	Warm Water CSO
- South Nashua River			se named 1
Outlet Wachusett Reservoir to confluence with the North Nashua River	4.6-0.0	В	Warm Water
	e .		novmerS no
Squannacook River			Lijka pradifistili in tolljim et og
Source to Hollingsworth & Vose <u>Dam</u>	14.3-3.3	В	Cold Water Outstanding Resource Water

W W	22.00	D.	Loundnos, 100 k
Hollingsworth & Vose <u>Dam</u> to confluence with Nashua River	3.3 - 0.0	В	Warm Water
confidence with Nashua Niver			
Nissitissit River			
			RODARY - M
State line to confluence with			PARTED BY PART
Nashua River			_ 11
in Ashby,		В	Cold Water
Groton, Pepperell, Shirley,			Outstanding Resource Water
Townsend and Lunenburg			water
			continues with Nurth Nashus lover
Baker Brook		В	CSO
Burot Brook			sundani Malburi Malburi se asa Pinne Pilanean P
Punch Brook	www.Warra	В	CSO
			The state of the s
Ashby Reservoir		2.01-64	Percentell Dam to New Hampshiss
			State Line
Source to outlet in Ashby and		Λ	Public Water Supply
those tributaries thereto			North Mashan River
Danier Divley Looks			ı.
Beaver, Bixby, Locke, Mason, Mine, Pearl Hill, Pumpk	zin da		Sounds to Learningster POTW.
Stewart, Sucker, Trap Swamp,	XIII,		rollstein 1
Trapfall, Trout in Townsend, W	alker, Willard.		
Witch, and Wolf Brook			Savid and State
Portion in Squannacook and Nis	ssitissit Rivers Sanctuary		Outstanding Resource Water
-			Phillips Devols
Bayberry Hill Brook and			
Gulf Brook	mul/L	0.0-01	Cold Water
Portion in Squannacook and Nis	ssitissit Rivers Sanctuary		Outstanding Resource Water
I			· 1
Lovell Reservoir			
Source to outlet in Fitchburg and	A	A	Public Water Supply
those tributaries thereto	4 (1987 - Table 1987)	A	Table Water Suppry
arose trioducties thereto			mmaxa-tata-attaw-avansa itaga-
Scott Reservoir		95	
Source to outlet in Fitchburg and	d -	Α	Public Water Supply
those tributaries thereto			Some to Hollingsworth & Voce Dam

TABLE 1722 (continued) NASHUA RIVER BASIN (81)

BOUNDARY	MILE POINT	CLASS	QUALIFIERSOTHER
Wachusett Lake			
Source to outlet in Westminster and those tributaries thereto	ing A Pari	Α	Public Water Supply
Overlook Reservoir			viscous Street St
Source to outlet in Fitchburg and those tributaries thereto	A Pul	Α	Public Water Supply
Falulah Reservoir			
Source to outlet in Fitchburg and those tributaries thereto		A	Public Water Supply
Muschopauge Pond (Muschopauge Pond Reservoir)			
Source to outlet in Rutland and those tributaries thereto	-	Α	Public Water Supply
Notown Reservoir			
Source to outlet in Leominster and those tributaries thereto		Α	Public Water Supply
Simonds Pond (Simonds Pond Reservoir)			
Source to outlet in Leominster and those tributaries thereto	.~	A	Public Water Supply
Goodfellow Pond			
Source to outlet in Leominster and those tributaries thereto	-	A	Public Water Supply
Haynes Reservoir			

Source to outlet in Leominster and those tributaries thereto	A (Leamunas) SET I ELISTATI (AMA MARKA MARKA)	Public Water Supply
Morse Reservoir		M VSEACENDO
Source to outlet in Leominster and those tributaries thereto	Α	Public Water Supply
Distributing Reservoir		and and and and the last of the and
Source to outlet in Leominster and those tributaries thereto	Α	Public Water Supply
Fall Brook Reservoir		the mulder in teltan of second
Source to outlet in Leominster and those tributaries thereto	Α	Public Water Supply
23 W 1 W		THE PERSON LINES IN

Source to outlet in Emisord and

2/10/95

T	TABLE 22 (co	이 회 이 이 아랫동안 시간에 가장 없는 사람	
	TABITOA RIVER	(10) / (10) (10) (10) (10) (10) (10) (10) (10)	D (5)
BOUNDARY MILE POINT	CLASS	OTHER RES	TRICTIONS
Meetinghouse Pond (Meeting House Reservoir)	(b)		
Source to outlet in Westminster and tributaries thereto	- 2	A	Public Water Supply
Asnebumskit Pond			
Source to outlet in Paxton and those tributaries thereto	-	A	Public Water Supply
Fitchburg Reservoir			
Source to outlet in Ashby and those tributaries thereto	-	A	Public Water Supply
Kendall Reservoir			
Source to outlet in Holden and those tributaries thereto		A	Public Water Supply
Pine Hill Reservoir			
Source to outlet in Holden and those tributaries thereto	÷ 2	A	Public Water Supply
Quinapoxet Reservoir	# 		
Source to outlet in Holden and those tributaries thereto	-	A	Public Water Supply
Wachusett Reservoir		e e	
Source to its outlet in Clinton and those tributaries thereto	-	A	Public Water Supply
Shattuck Reservoir			
Reservoir to outlet in Fitchburg and	a	A	Public Water Supply

those tributaries thereto

baccommon side to

314 CMR: LIVISION OF WATER POLLUTION JNTROL

Bixby Reservoir, and Coon Tree, Dam Graves, Harbor, Heald, Pearl Hill Broo				
Pork Barrel, and Walker Ponds, and W				
(Lower Wright Pond & Upper Wright	Pond)			
Portion in Squannacook and Nissitissit	Rivers Sanctuary		Outstanding Res	source Water
4.06: continued				goods! Vand
Still River			Cold Water	
Source to Rte. 117, Bolton				
Reedy Meadow Brook	entire length		Cold Water	
Mulpus Brook	entire length	9.1-16.2	Cold Water	
Burnt Mill Pond Brook	entire length	0.19 -	Cold Water	
Goodrich Brook	entire length		Cold Water	
South Meadow Brook	entire length		Cold Water	

Denny Street, Judespaw Brook

TABLE <u>1823</u> SuAsCoCONCORD RIVER BASIN (82)

BOUNDARY	MILE POINT	CLASS	<u>QUALIFIERSOTHER</u>
RESTRICTIONS			A lighting Manual continued in the
Sudbury River			American -
Source to Fruit Street Bridge in Hopkinton	29.1	В	Warm Water Outstanding Resource Water
Fruit Street Bridge to Outlet to Saxonville Pond	29.1-16.2	В	Warm Water High Quality Water
Outlet Saxonville Pond to WashHop Brook confluence	16.2 - 10.6	Bundania	Aquatic Life High Quality Water
HopWash Brook confluence to River confluence	Assabet	10.6-0.00	B Aquatic Life
Denney Brook, Jackstraw Brook Picadilly Brook, Rutters Brook and Whitehall Brook	k -	В	Outstanding Resource Water
Hop Brook			
Source to Sudbury River confluence	9.7 - 0.0_	В	Warm Water
- Concord River			. 1
Confluence of Assabet and Sudbury to Billerica Water sSupply Intake	15.4 - 5.9	В	Warm Water Treated Water Supply
Billerica Water Supply Intake to Rogers Street	5.9 - 1.0	В	Warm Water
Rogers Street to confluence with Merrimack River	1.0 - 0.0	В	Warm Water CSO

314 CMR: LIVISION OF WATER POLLUTION LINTROL

TABLE 18 (continued) SuAsCo RIVER BASIN

BOUNDARY MIL	E POINT	CLASS	QUALIFIERS	e His
Assabet River				die
Source to Westborough STP WWTF	31.8 - 30.4	В	Warm Water High Quality Water	at ga
Westborough STP WWTF to outlet to Boones Pond (Lake Boon)	0 30.4 - 12.4	В	Warm Water	
Outlet of Boones Pond to confluence with Sudbury River	12.4 - 0.0	В	Warm Water	211
Nagog Pond				ar la dia :
Source to outlet in Acton and those tributaries thereto	- "	A	Public Water Supply	with

4.06: continued	TABLE	23 (continued)		
		RIVER BASIN (82	2)	
BOUNDARY MILE POINT	CLASS	OTHE	RESTRICTIONS	
Westborough Reservoir (Sandra	Pond)	a		nyist)
Source to outlet in Westborough and those tributaries thereto	= W= 981	A	Public Water Supply	
Gates Pond (Gates Pond Reservoir) Source to outlet in Berlin and		II., 1.3	Public Water Supply	
those tributaries thereto	· ·	A	rubiic water Suppry	ARMEN
White Pond				
Source to outlet in Hudson and those tributaries thereto	u -	. A	Public Water Supply	
Millham Reservoir			in Actyn and those	
Source to outlet in Marlborough and those tributaries	·-	A	Public Water Supply	6
Lake Williams Reservoir (Williams	ams Lake)			
Source to outlet in Marlborough and those tributaries thereto		Α	Public Water Supply	
Sudbury Reservoir				
In Westborough, Marlborough, Southborough, Framingham and those tributaries thereto	·	A	Public Water Supply	
MWRA Open Canal (Wachusett Aqueduct) (MWRA Open Canal)				
Entire length and those tributaries thereto	n :-	A	Public Water Supply	
Framingham Reservoir No. 3				
Reservoir to outlet in Framingham	3	A	Public Water Supply	
2/10/95 (Effective 3/	1/95)		314 CMR 128.	11

314 CMR: LIVISION OF WATER POLLUTION JNTROL

and those tributaries thereto

Cedar Swamp Pond

portion in Westborough Cedar

Swamp ACEC

Outstanding Resource Water

Unnamed tributary to

entire length

Cold Water

Assabet River

Jacksaw Brook

Cold Water

Source to Upton Rd 1st crossing south of

Hopkington Rd.

314 CMR: __IVISION OF WATER POLLUTION _JNTROL

	TABLE <u>1</u> SHAWSHEEN RIVI			
BOUNDARY RESTRICTIONS	MILE POINT	CLASS	QUALIFIERSOTHER	2/2/10 Pm 3/2/2/10
Shawsheen River		thurs length	SWI . IN COM	
Source to water withdrawal point in Billerica	25.0 - 18.0	В	Treated Water Supply Warm Water	magazapar Saga Brook
(approximately Cook Street and Alexander Road)			VA m	
Water withdrawal point in Billerica to confluence with the Merrimack River	18.0 - 0.0	В	Warm Water	

TABLE 205 MERRIMACK RIVER BASIN AND COASTAL DRAINAGE AREA (84)

BOUNDARYRESTRICTIONS	MILE POINT	CLASS	QUALIFIERSOTHER	
Merrimack River				VET
State Line to Pawtucket Dam	49.8 - 40.6	B (1.0) ×	Warm Water Treated Water Supply CSO	
Pawtucket Dam to Essex Dam, Lawrence	40.6 - 29.0	В	Warm Water Treated Water Supply CSO	l
Essex Dam, Lawrence to Creek BrookLittle River, Haverhill	29.0 - 21.9	В	Warm Water CSO	
Creek Brook Little River, Haverhill to Atlantic Ocean	21.9 - 0.0	SB CSO	Shellfishing (R)	1
The Basin in the Merrimack River Estuary, Newbury and Newburyport	RISHALITO	SA	Shellfishing (O)	١
Stony Brook				
Entire Length	10.3 - 0.0	В	Warm Water	
Beaver Brook				
State Line to confluence with Merrimack River	4.2 - 0.0	В	Cold Water	1
Spickett River				١
State Line to Rte. 28 Bridge	6.4 <u>- 2.8</u>	В	Warm Water	
Rte. 28 Bridge to confluence with Merrimack River	2.8 —0.0	В	Warm Water	12
Little River				
State Line to confluence with	4.3 - 0.0	» B	Warm Water	

Merrimack River		er ja	
Cobbler Brook			e,
Entire Length	3.7 - 0.0	В	Cold Water
Powwow River		8 2	
Outlet Lake Gardner to tidal portion	6.4 - 1.3	В	Warm Water
Tidal portion	1.3 - 0.0	SB	Shellfishing (R)
Plum Island River			
North of High Sandy sand bar E	ntire Length	3.6-0.0	SA Shellfishing (O) Outstanding Resource Water
£ 4.0			4.06: continued
1.51 (2001)		(continued)	Cocin
— MERRIMAC I	RIVER BASIN AND	COASTAL DRAIN	IAGE AREA (84)
BOUNDARY MILE POINT	CLASS	OTHER RI	ESTRICTIONS
Plumbush Creek, Little Pine Island Creek, Pine Island Creek and Jericho Creek	mireW 8	SA* B*	Outstanding Resource Water
Plum Island Sound		SA	Shellfishing (O) Outstanding Resource
Lake Attitash			Water
Source to outlet in Amesbury and those tributaries thereto	nd -	A	Public Water Supply
Tuxbury Pond			Bruge to confluence
		3	TOVOL JOSHITTE

A

Powwow River

Source to outlet in Amesbury and those tributaries thereto

Public Water Supply

Outlet of Tuxbury Pond to inlet			A	Public Water Supply	
Lake Gardner and tributaries thereto	DAMAMAG.				
Millvale Reservoir					A-FRA4141
Source to outlet in Haverhill and tributaries thereto	*) :		A	Public Water Supply	Amadoda R Lancing
Kenoza Lake					
Source to outlet in Haverhill and those tributaries thereto	-		A	Public Water Supply	
Crystal Lake					
Source to outlet in Haverhill and those tributaries thereto	2		A	Public Water Supply	ander seort
Haggets Pond		12.5		, ,	Onc'l sin
Source to outlet in Andover and those tributaries thereto	-	A	A	Public Water Supply	m relitio of t durbunates
Fish Brook		3 K U			
Entire length and those tributaries thereto	4.0-0.0		A	Public Water Supply	ni ishuo oili e tribunaries
Lake Cochichewick					
Source to outlet in North Andover and those tributaries thereto	- T		A	Public Water Supply	malelian or team

4.06: continued	v9A		o of Tuxbury, Pond to inte
MERRIMAC RIVI	TABLE 25 (conti ER BASIN AND COAS	,	GE AREA (84)
BOUNDARY MILE POINT	<u>CLASS</u>	OTHER RES	TRICTIONS
Artichoke Reservoir (Upper and Lower Artichoke Reservoir	ervoir)	8	to outlet in Havedull and
Source to outlet in West Newbury and those tributaries thereto	-	A	Public Water Supply
Unnamed Reservoir (Indian Hill Reservoir)	A a Pro		tre to outlet in Haverhill and e tribumnes thereto
Source to outlet in West Newbury and those tributaries thereto	eq	A	Public Water Supply
Chadwick Pond (Little Pond)			e pributaries thereto
Pond to outlet in Haverhill and those tributaries thereto	N .	A	Public Water Supply
Hoveys Pond (Mitchell Pond, Johnson Pond)			Jones I
Pond to outlet in Boxford and those tributaries thereto	- A	A .	Public Water Supply
Johnsons Pond			
Pond to outlet in Groveland and those tributaries thereto	- N	A	Public Water Supply
Round Pond (Lake Pentucket) (Round Pond)			
Lake to outlet in Haverhill and those tributaries thereto		A	Public Water Supply

^{*} Marine waters Class SA, fresh water Class B

TABLE 2<u>1</u>6 PARKER RIVER BASIN-AND COASTAL DRAINAGE AREA (91)

В	Warm Water High Quality Water
SA	Shellfishing (O) Outstanding Resource Water
В	Warm Water Outstanding Resource Water
SA	Shellfishing (O) Outstanding Resource Water
	red braz state smilling
SA, B*	Outstanding Resource Water
	stand Cook, and Jerichon, make
SA,B*	Outstanding Resource Water
SA, B*	Outstanding Resource Water
SA, B*	Outstanding Resource Water
	B SA SA, B* SA, B*

314	CMR:

	DADVE	TABLE :	The second secon	
	PARKE	RRIVER BA	SIN (continued)	
BOUNDARY	MIL	E POINT	CLASS	QUALIFIERS
Egypt River				
Entire Length	-	B 10	SA, B*	Outstanding Resource Water
Mud Creek		· · ·		LES nortion 23.1
Entire length and tributaries hereto	Dillari2		SA, B*	Outstanding Resource Water
Bull Brook Reservoir		¥		
Reservoir to outlet in Ipswich and those tributaries thereto	-	×	A	Public Water Supply
Dow Brook Reservoir				
Reservoir to outlet in Ipswich and those tributaries thereto	Shellfi		Α (),()	Public Water Supply
Plum Island River				
South of High Sandy sand bar			SA	Shellfishing
o confluence with Plum Island	Sound	* 48 AR		Outstanding Resource Water
Pine Island Creek, Little Pine Island Creek and Jericho C	Creek		SA*B*	Outstanding Resource Water
Plum Island Sound			SA	Shellfishing
	massig()	51,42		Outstanding Resource Water
Broad, Carolton, Club Head, Laws, Lords, Metcalf, Paine, Sand, Sawyer, Shad, Six Goose Stacy, and West Creek	<u>.</u>	*8', AZ	3	Island Biver
Portion in Parker River/Essex B	Bay ACEC			Outstanding Resource Water
Ox Pasture Brook				my Sag
Portion in Parker River/Essex B	Om ACEC			Outstanding Resource Water

TABLE 2<u>2</u>7 IPSWICH RIVER BASIN-AND COASTAL DRAINAGE AREA (92)

BOUNDARY RESTRICTIONS	MILE POINT	CLASS	QUALIFIERSOTHER
Ipswich River			
Source to Salem Beverly Waterway Canal	41.1 - 16.4	В	Treated Water Supply Warm Water High Quality Water
Salem Beverly Waterway Canal to tidal portion	16.4 - 4.5	В	Warm Water High Quality Water
Tidal portion and tributaries thereto	4.5 - 0.0	SA	Shellfishing (O)
Middleton Pond			to outlet to 1 milhody cae tributaries thereto
Source to outlet in Middleton and those tributaries thereto	A P	A	Public Water Supply
Swan Pond			
Source to outlet in North Reading and those tributaries thereto	o o	A	Public Water Supply
Mill Pond Reservoir			
Source to outlet in Burlington and those tributaries thereto	-	A	Public Water Supply
Longham Reservoir	*		
Source to outlet in Wenham and those tributaries thereto	Ψ.	A	Public Water Supply
Wenham Lake			
Source to outlet in Wenham and those tributaries thereto	2 2	A	Public Water Supply

TABLE 22 (continued) **IPSWICH RIVER BASIN** BOUNDARY MILE POINT CLASS **QUALIFIERS** Putnamville Reservoir Source to outlet in Danvers and Public Water Supply A those tributaries thereto Suntaug Lake Source to outlet in Lynn and Public Water Supply A Peabody and those tributaries thereto Winona Pond Public Water Supply Pond to outlet in Peabody A and those tributaries thereto Unnamed Reservoir (Emerson Brook Reservoir) Reservoir to outlet in Middleton Public Water Supply and those tributaries thereto Fox Creek, Neck Creek and Treadwell Island Creek Portion in Parker River/Essex Bay ACEC Outstanding Resource Water

TABLE 2<u>3</u>8 NORTH SHORE COASTAL DRAINAGE AREA (93)

BOUNDARY	MILE POINT	CLASS	QUALIFIERSOTHER
RESTRICTIONS	12	*	todatla
The Essex River and its tributaries in Essex	- ,	SA <u>*</u>	Shellfishing (O) Outstanding Resource Water
rated Water Supply	at a second	8-09/01-9	Cluse which
Ebben, Lufkin, and Soginese Creek	ÓD C	SA	Shellfishing Outstanding Resource Water
Portion in Parker River/Essex Bay A	CEC	+	Outstanding Resource water
Essex Bay	-	SA .	Shellfishing (O) Outstanding Resource Water
Castle Neck River		SA	Shellfishing
Portion in Parker River /Essex Bay A	CEC		Outstanding Resource Water
1 Ordon in Parker Payor, Essew Bay 1	822	0.0 = 8-41	on Strengt Endoire 3
Walker Creek, Lanes Creek and Farm Creek	62 <u>-</u> 10	SA	Shellfishing (O) Outstanding Resource Water
Annisquam River	is - 12 -	SA .	Shellfishing (O) CSO
			dhanan-
Rockport Harbor	3 . 3	SB	Shellfishing (R)
Gloucester Harbor	-	SB	Shellfishing (R) CSO
Manchester Harbor		SB	Shellfishing (R)
Beverly Harbor	-	SB	Shellfishing (R) CSO
Salem Harbor	- ,	SB	Shellfishing (R) CSO
Marblehead Harbor	(E	SA	Shellfishing (O)

^{*} Marine waters Class SA

314 CMR: LIVISION OF WATER POLLUTION CONTROL

¥3.			Section forces
Massachusetts Bay	-	SA	Shellfishing (O)
Nahant Bay	DEATNAGE AREA 201	SA	Shellfishing (O) CSO
		THEOTERS	BOLINDARY
Lynn Harbor	a 	SB	Shellfishing (R) CSO
Saugus River			
Source to Canal which discharges into Hawkes Pond	<u>13.6 – 10.5</u> 10.9 – 8.1	В	Treated Water Supply
Canal which discharges into Hawkes Pond to Saugus Iron Works/Bridge Street	<u>10.5 – 5.1</u> 8.1 – 1.5 oston <i>Street</i>	SB	Shellfishing (O)
Saugus Iron Works/ Bridge Street			1
to Boston Street -bridge to mouth	5.1 - 3.1	SB	Shellfishing
esta W soudes S guidante	b()		Parties in Purbar Royal (Coop flow AC):
Boston Street bridge	<u>3.1</u> 1.5 - 0.0	SB_	Since and the second se
to mouth			Shellfishing (O) Outstanding Resource Water CSO
Pines River			
Source to Route 1	13 30	SA-	Shellfishing (O)
Route 1-to mouth	3.0 - 0.0	SB	Outstanding ResourceWater
	Janes V Inch		

TABLE 238 (continued) NORTH SHORE COASTAL DRAINAGE AREA (93)

BOUNDARY MILE POINT	CLASS	OTHER RES	STRICTIONS
Diamond Creek		SA	Outstanding ResourceWater
Spring Pond and Griswold Pond	, I		brack entwai
Source to outlet in Saugus	e *	В	Outstanding Resource Water
Babson Reservoir			I dir Pund
Source to outlet in Gloucester and those tributaries thereto	9 - 9	A	Public Water Supply
Haskell Pond (Haskell Reservoir)		9	
Source to outlet in Gloucester and those tributaries thereto		A	Public Water Supply
Goose Cove Reservoir			
Source to outlet in Gloucester and those tributaries thereto	-	A	Public Water Supply
<u>Dykes Pond</u> (<u>Dykes Reservoir</u>)			
Source to outlet in Gloucester and those tributaries thereto		A	Public Water Supply
Wallace Pond (Wallace Reservoir)	**		
Source to outlet in Gloucester and those tributaries thereto		A	Public Water Supply
Fernwood Lake			I.

314 CMR: LIVISION OF WATER POLLUTION CONTROL

Public Water Supply Source to outlet in Gloucester Α and those tributaries thereto Klondike Reservoir (Quarry Reservoir) Public Water Supply Source to outlet in Gloucester and those tributaries thereto Hawkes Pond A Public Water Supply Source to outlet in Saugus Lynnfield and those tributaries thereto Birch Pond Public Water Supply Source to outlet in Saugus and A Lynn and those tributaries thereto

	E 28 (con ASTAL D	(B) [10] (1) [2] [10] [10] [10] [10] [10] [10] [10] [10	A (93)
BOUNDARY MILE POINT CLASS	27.10	OTHER RES	TRICTIONS
Breeds PondReservoir	A DE		
Source to outlet in Lynn and - those tributaries thereto		A	Public Water Supply
Walden Pond			· History
Source to outlet in Lynn and -those tributaries thereto	A8	A	Public Water Supply
Gravelly Pond			V21 AUC strom (
Source to outlet in Hamilton and those tributaries thereto		A	Public Water Supply
Spring Pond			
Source to outlet in Peabody and those tributaries thereto		A	Public Water Supply
Cape Pond			
Source to outlet in Rockport and - tributaries thereto		A	Public Water Supply
Quarry Reservoir (Carlson's Quarry)			1
Source to outlet in Rockport and those tributaries thereto		A	Public Water Supply
Crystal Lake			to the contract of the contrac
Source to outlet in Wakefield and those tributaries thereto		A	Public Water Supply

TABLE 2<u>4</u>9 SOUTH SHORE COASTAL DRAINAGE AREA (94)

BOUNDARY RESTRICTIONS	MILE POINT	CLASS	QUALIFIERSOTHER
Cohasset Harbor	a <u>-</u> .	SA	Shellfishing (O)
Little Harbor	- Subtraction of the state of t	SA	Shellfishing (O)
The Gulf	5 <u>e</u> n	SB	Shellfishing (R)
Scituate Harbor	A Public	SA	Shellfishing (O)
French Stream			
Entire Length 20.6 - 15.7		В	Warm Water
Drinkwater River		2 2	
Entire Length 15.7 - 13.9		В	Warm Water
Indian Head River			
Source to Curtis Crossing Dam	-	В	Warm Water
Curtis Crossing Dam to confluence with Herring Brook	A Public	В	Warm Water Outstanding Resource Water
			Ouisianang Resource Water

North River

Curtis Crossing Dam Confluence of Indian Head River	¥0		
and Herring Brook to Third	11.6 - 9.6	SA	Shellfishing (O)
Herring Brook	W V2		Outstanding Resource Water
Third Herring Brook to New Main Street, Marshfield	9.6 - 2.0	SA	Shellfishing (O) Outstanding Resource Water

				IND DOMBOOK IN COURSE
Main Street to Massachusetts	2.0 - 0.0		SA	Shellfishing (O)
Bay				La North River Combine
				1000000 10000 10000 1000
South River				
Course to dom at Main Street				IN IT
Source to dam at Main Street, Marshfield			В	Warm Water
Warsimera				Outstanding Resource Water
Entire Length	10.6 - 0.0	(1.6)		SSA-13 CILASS
Dam at Main Street, Marshfield t				
confluence with North River, Ma	rshfield		SA	Shellfishing (O)
				Outstanding Resource Water
Green Harbor	Public		SA	Shellfishing (O)
			*	8.1
Jones River				
	50.04		D	Warm Water
Source to Wapping Pond	7.0 - 3.4		В	High Quality Water
				Tilgii Quanty Water
Wapping Road to Elm Street	3.4 - 2.5		В	Warm Water
appg roun to roun				
Cove, Herring, Iron Mine,				
Second Herring, Stony, and	on Crook			
Third Herring Brook and Robins Portion in North River Corridor	OH CICCK			Outstanding Resource Water
TOTALON IN PROPERTY CONTROL	riduri			o outlet in Plymouth and
	w ,			
_ Furnace Pond				J. Gultern Bucket Pond
D 1 1 1 1 1 1 1			A	Public Water Supply
Pond to outlet in Pembroke and those tributaries thereto	illdur!		Α	rubite water Suppry

Lake to outlet in Kingston and tributaries thereto	3.9				Public Water S	
Garage Mercus						
Mounce Pond						
portion in North River Corridor				Outs	tanding Resource	Water
4.06: continued	8					
	TABLE	E 29 (conti	nued)			
SOUTH	SHORE COAS			AREA (94)		
DARY MILE POINT	<u>CLASS</u>	·	OTHER	RESTRICT	CIONS	
G . G . I D D . I						at Magricon
Great Sandy Bottom Pond					mply the property of the prope	
ond to outlet in Pembroke and	_		Α	Publi	ic Water Supply	
hose tributaries thereto					24 24	
			œ		radi ^e sa a	
Great South Pond			A	Publi	ic Water Supply	
Pond to outlet in Plymouth			20		27	
and those tributaries thereto						
and mose modulies moreto			64			
Lily Pond			A	Publi	ic Water Supply	
Pond to outlet in Cohasset and			ia d			
those tributaries thereto						
		88 0			anily not	
Little South Pond						
(South Pond)						
Parktino Kasource Water			A	Dukl	o Water Cumply	
Pond to outlet in Plymouth and those tributaries thereto	(S) 0		A	Publi	ic Water Supply	
those tributaries thereto						
Old Oaken Bucket Pond				22		
(Herring Brook Pond)						
die Water Supply			76 4 8	20.11	Pemberske and	
Pond to outlet in Scituate and	-		A	Publi	ic Water Supply	
those tributaries thereto						
Unnamed Reservoir	F 10 20					
(Aaron River Reservoir)		8				

314 CMR: DIVISION OF WATER POLLUTION CONTROL

and those tributaries thereto

<u>Unnamed Reservoir</u>Abington Rockland Reservoir (<u>Hingham Street Reservoir</u>)

Reservoir to outlet in Rockland and those tributaries thereto

Public Water Supply

2/10/95 (Effective 3/1/95)

TABLE <u>2530</u> BUZZARDS BAY COASTAL DRAINAGE AREA (95)

BOUNDARY RESTRICTIONS	MILE POINT	CLASS	<u>QUALIFIERSOTHER</u>
Cape Cod Canal, Sandwich		SB	Shellfishing
Cape Cod Canal, Bourne		SB	Shellfishing
Buttermilk Bay		SA	Shellfishing (O)
Onset Bay	- 1 ₂	SA	Shellfishing (O)
Pocasset River		SA	Shellfishing Outstanding Resource
Agawam River	i u	- 520°	<u>Water</u>
Source to Wareham WWTF ST	PAbove 2.2	В	Warm Water High Quality Water
Wareham <u>WWTF</u> STP_to conf	luence 2.2 - 0.0	SB	Shellfishing (R)
Wareham River		, v 8	
Entire Length		SA	Shellfishing (O) High Quality Water
Wewantic River			
Source to <u>inlet</u> outlet of Horsesl Pond	noe Above 4.4	В	Warm Water High Quality Water
Outlet of Horseshoe Pond to co	onfluence	4.4 - 0.0	SA Shellfishing(O) High Quality Water
Sippican River			
Source to County Road, Mario Wareham	n, Above 2.1	В	Warm Water High Quality Water

314 CMR 128.31

314 CMR: LIVISION OF WATER POLLUTION LINTROL

County Road to confluence with Wewantic River	2.1 - 0.0	SA		Shellfishing (O) High Quality Water
Sippican Harbor	-	SA		Shellfishing (O)
Aucoot Cove		SA		Shellfishing (O)
Mattapoisett Harbor	60 AX	SA		Shellfishing (O)
Nasketucket Bay	12	SA		Shellfishing (O)
New Bedford Reservoir				
Source to outlet	Above 8.2	В	No	Warm Water High Quality Water
Acushnet River				
Outlet of New Bedford Reservoir	8.2 - 4.5	В		Warm Water High Quality Water
Main Street to Rt. 6	4.5 - 1.2	SB		Shellfishing (R) CSO
Inner New Bedford Harbor	1.2 - 0.0	SB		Shellfishing (R) CSO

espi W villan Q Aqibl	TABLE 30 (coonti		
BUZZARDS F	BAY COASTAL DR	AINAGE ARE	A (95)
BOUNDARY MILE POINT C	LASS	OTHER REST	<u> RICTIONS</u>
Outer New Bedford Harbor -	. KD	SA	Shellfishing (O)
Clark Cove, New Bedford/ Dartmouth	A8	SA	Shellfishing (O) CSO
Apponagansett Bay, New Bedford/Dartn	nouth	±	SA Shellfishing (O)
Slocums River -	8 ° °	SA	Shellfishing (O) High Quality Water
Westport River, East Branch			
Outlet Noquochoke Lake to Old County Road, Westport	2.0 - 10.0	В	Warm Water High Quality Water
Old County Road to confluence	0.0 - 0.0	SB	Shellfishing (R) High Quality Water
Westport River, West Branch			
Entire Length -		SA	Shellfishing (O) High Quality Water
Freeman Pond, Mill Pond, Shop - Pond and Upper Pond in Bourne	al .	B*	Warm Water Outstanding Resource Water
Copicut Reservoir			
Source to outlet in Fall River - and Dartmouth and those tributaries thereto		A	Public Water Supply
Sand Pond Reservoir			
Source to outlet in Wareham and those tributaries thereto		A	Public Water Supply
* Marine waters Class SA, fresh waters	Class B		

TABLE <u>26</u>31 CAPE COD <u>COASTAL</u> DRAINAGE AREA (96)

BOUNDARY	MILE POINT	CLASS	QUALIFIERSOTHER
RESTRICTIONS			
Cape Cod Canal, Sandwich		SB	Shellfishing (R)
Cape Cod Canal, Bourne		_SB	Shellfishing (R)
Scorton Harbor	(C)_	SA	Shellfishing (O)
Scorton Creek and tributaries thereto	115	SA	Shellfishing (O)
mereto			
Barnstable Harbor			
Entire area excluding Freezer		SA	Shellfishing (O)
Point and the developed marina			Outstanding Resource Water
		6	
Broad Sound	uto*	SA	Shellfishing (O)
Bass Creek, Brickyard Creek, Mill Creek and Wells Creek	gV/ *g	SA	Shellfishing (O)
Namskaket Creek, Little	w <u>-</u>	SA	Shellfishing (O)
Namskaket Creek, Rock Harbor			Outstanding Resource
Creek, Boat Meadow River and			Water
Herring River	W		
Pleasant Bay and tributaries thereto	e -	SA	Shellfishing (O) Outstanding Resource Water
Ryder Cove, Bassing Harbor, Frost Fish Creek, and Muddy Creek in Chatham			
Portion in Pleasant Bay ACEC	44.00	week week with the same week week week week week week week we	Outstanding Resource Water
Down d Cours			
Round Cove in Harwich			
Portion in Pleasant Bay ACEC			Outstanding Resource Water
Namequoit River, The River,	×		
ramequote favor, the favor,			7

The Horseshoe, the Narrows, Frostfish Cove, Hog Island Creek, and Broad Creek in Orleans Portion in Pleasant Bay ACEC	HUA RIYAN	TABLE 2621	Outstanding Resource Water
Waquoit Bay and tributaries - thereto		SA*	Shellfishing (O) Outstanding Resource Water
Childs River, Quashnet River, and Red Brook portion in Waquoit Bay ACEC	12.	3 2	Outstanding Resource Water
Pocasset River	. 8.8	SA	— Shellfishing (O) — Outstanding Resource Water
Waters in and adjacent** to the Cape Cod National Seashore	X2	SA*	Shellfishing (O) Outstanding Resource Water
Falmouth Inner Harbor, Falmouth -		SB	Shellfishing (R)
Herring Pond and Cedar Pond -		В*	Warm Water Outstanding Resource Water
Stillwater Pond, Lovers Lake, Mill Pond, Ministers Pond and Crows Pond in Chatham		B*	Warm Water Outstanding Resource Water

TABLE 31 (continued) CAPE COD DRAINAGE AREA (96)

BOUNDARY MILE POINT CLASS	OTHER RES	<u>STRICTIONS</u>
Pilgrim Lake, Quanset Pond, Crystal Lake, Paw Wah Pond, Uncle Seths Pond, Sarahs Pond, Areys Pond, Gould Pond, Kescago Gansett Pond and Meeting House Pond in Orleans	B*	Warm Water Outstanding Resource Water
Bourne Pond, Bog Pond, Caleb Pond and Hamblin Pond in Falmouth	B*	Warm Water Outstanding Resource Water
Flat Pond, Jehu Pond, Jim Pond, Lily Pond (Little Flat Pond), Sagelot Pond, Lot Pond-and Witch Pond in Mashpee	B*	Warm Water Outstanding Resource Water
Freeman Pond, Mill Pond, Shop Pond and Upper Pond in Bourne	B*	Warm Water Outstanding Resource Water
Long Pond (Long Pond Reservoir)		
Source to its outlet in Falmouth and those tributaries thereto	A	Public Water Supply
Waters in and adjacent** to the Cape Cod National Seashore	SA*	Shellfishing Outstanding Resource Water

^{*} Marine waters Class SA, fresh waters Class B

^{**} Area within 1,000 feet seaward of mean low water

314 CMR: _IVISION OF WATER POLLUTION _JNTROL

4.06: continued

TABLE <u>27</u>32 ISLANDS COASTAL DRAINAGE AREAS (97)

BOUNDARY MILE POINT RESTRICTIONS	CENTS GUILLO	CLASS	QUALIFIERSOTHER	
Surface waters adjacent* to the Elizabeth Islands subject to the rise and fall of the tide	,	SA	Shellfishing (O) Outstanding Resource Water	
All surface waters subject to the rise and fall of the tide of Dukes County and Nantucket Drainage Area	ıs ·	SA	Shellfishing (O)	Nonengo House Pr

^{*} Area within 1,000 feet seaward of mean low water.

REGULATORY AUTHORITY

314 CMR 4.00: M.G.L. c. 21, § 27.

Table 28 SITE SPECIFIC CRITERIA

& WATERBODY	REA BOUNDARY OR TOWN	SITE SPECIFIC CRITERIA	
BLACKSTONE RIVER		U.apyottiki padardi	
Auburn Pond	Auburn	Total Phosphorus 0.025 mg/L	
Blackstone River	45.2 to 20.0 (state line)	Copper acute 25.7 chronic 18.1 μg/L	
Brierly Pond	Millbury	Total Phosphorus 0.025 mg/L	
Curtis Pond North	Worcester	Total Phosphorus 0.025 mg/L	
Curtis Pond South	Worcester	Total Phosphorus 0.025 mg/L	
Dorothy Pond	Millbury	Total Phosphorus 0.025 mg/L	
Eddy Pond	Auburn	Total Phosphorus 0.015 mg/L	
Flint Pond	Grafton, Worcester,	Total Phosphorus 0.012 mg/L	
	Shrewsbury	VALUE OF STATE	
Green Hill Pond	Worcester	Total Phosphorus 0.025 mg/L	
Howe Reservoir	Millbury	Total Phosphorus 0.025 mg/L	
Indian Lake	Worcester	Total Phosphorus 0.027 mg/L	
Tordan Pond	Shrewsbury	Total Phosphorus 0.025 mg/L	
Lake Quinsigamond	Worcester, Shrewsbury	Total Phosphorus 0.012 mg/L	
Leesville Pond	Auburn, Worcester	Total Phosphorus 0.040 mg/L	
Mill Pond	Shrewsbury	Total Phosphorus 0.025 mg/L	
Mumford River	9.0 to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
	(confluence with Blackstone Rive		
Newton Pond	Shrewsbury	Total Phosphorus 0.025 mg/L	
Pondville Pond	Auburn	Total Phosphorus 0.025 mg/L	
Salisbury Pond	Worcester	Total Phosphorus 0.0455 mg/L	
Shirley Pond	Shrewsbury	Total Phosphorus 0.025 mg/L	
Smiths Pond	Leicester	Total Phosphorus 0.020 mg/L	
Southwick Pond	Leicester	Total Phosphorus 0.010 mg/L	
Stoneville Pond	Auburn	Total Phosphorus 0.025 mg/L	
West River	8.8. to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
	(confluence with Blackstone River) official control of the control of	
BUZZARDS BAY DRA	INAGE AREA		
Unnamed Brook	0.75 to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
J. M. W.	(confluence with Aucoot Cove)		
CAPE COD DRAINAG	EADEA		
Stage Harbor System	EAREA		
Little Mill Pond	Chatham	Nitrogen 0.38 mg/L	
Mill Pond	Chatham	Nitrogen 0.38 mg/L	
Mitchell River	Chatham	Nitrogen 0.38 mg/L	
Oyster Pond	Chatham	Nitrogen 0.38 mg/L Nitrogen 0.38 mg/L	
		Nitrogen 0.38 mg/L	
Oyster River	Chatham Chatham	Nitrogen 0.38 mg/L	
Stage Harbor	Chaulain	Nitrogen 0.38 mg/L	
Sulphur Springs System			
Bucks Creek	Chatham	Nitrogen 0.38 mg/L	
Cockle Cove Creek	Chatham	Nitrogen 0.38 mg/L	
	Chatham	Nitrogen 0.38 mg/L	
Sulphur Springs			
	Chatham	Nitrogen 0.38 mg/L	

314 CMR: DIVISION OF WATER POLLUTION CONTROL

Taylors Pond Chatham Nitrogen 0.38 mg/L			
Bassing Harbor Chatham Nitrogen 0.527-0.552 mg/L* Prost Fish Creek Chatham Nitrogen 0.527-0.552 mg/L* Prost Fish Creek Chatham Nitrogen 0.527-0.552 mg/L* Ryder Cove Chatham Nitrogen 0.527-0.552 mg/L* Muddy Creek Chatham Nitrogen 0.527-0.552 mg/L. Upper Muddy Creek Chatham Nitrogen 0.552 mg/L. Upper Muddy Creek Chatham Nitrogen 0.552 mg/L. Upper Muddy Creek Chatham Nitrogen 0.552 mg/L. CHARLES RIVER BASIN Copper acute 25.7 chronic 18.1 μg/L. Charles River 73.4 to 9.8 Copper acute 25.7 chronic 18.1 μg/L. Confluence with Charles River dam) Copper acute 25.7 chronic 18.1 μg/L. Confluence with Charles River) Copper acute 25.7 chronic 18.1 μg/L. CHICOPEE RIVER BASIN Total Phosphorus 0.015 mg/L. Brong Pond Dakham Total Phosphorus 0.030 mg/L. Minechoag Pond Ludlow Total Phosphorus 0.030 mg/L. Mona Lake Springfield Total Phosphorus 0.030 mg/L. Spectacle Pond Wilbraham Total Phosphorus 0.015 mg/L. <t< td=""><td>Taylors Pond</td><td>Chatham</td><td>Nitrogen 0.38 mg/L</td></t<>	Taylors Pond	Chatham	Nitrogen 0.38 mg/L
Bassing Harbor Chatham Nitrogen 0.527-0.552 mg/L* Prost Fish Creek Chatham Nitrogen 0.527-0.552 mg/L* Prost Fish Creek Chatham Nitrogen 0.527-0.552 mg/L* Ryder Cove Chatham Nitrogen 0.527-0.552 mg/L* Muddy Creek Chatham Nitrogen 0.527-0.552 mg/L. Upper Muddy Creek Chatham Nitrogen 0.552 mg/L. Upper Muddy Creek Chatham Nitrogen 0.552 mg/L. Upper Muddy Creek Chatham Nitrogen 0.552 mg/L. CHARLES RIVER BASIN Copper acute 25.7 chronic 18.1 μg/L. Charles River 73.4 to 9.8 Copper acute 25.7 chronic 18.1 μg/L. Confluence with Charles River dam) Copper acute 25.7 chronic 18.1 μg/L. Confluence with Charles River) Copper acute 25.7 chronic 18.1 μg/L. CHICOPEE RIVER BASIN Total Phosphorus 0.015 mg/L. Brong Pond Dakham Total Phosphorus 0.030 mg/L. Minechoag Pond Ludlow Total Phosphorus 0.030 mg/L. Mona Lake Springfield Total Phosphorus 0.030 mg/L. Spectacle Pond Wilbraham Total Phosphorus 0.015 mg/L. <t< td=""><td></td><td></td><td>A GOLD LINE SHEET AND A CONTRACT OF THE PARTY OF THE PART</td></t<>			A GOLD LINE SHEET AND A CONTRACT OF THE PARTY OF THE PART
Bassing Harbor Chatham Nitrogen 0.527-0.552 mg/L* Prost Fish Creek Chatham Nitrogen 0.527-0.552 mg/L* Prost Fish Creek Chatham Nitrogen 0.527-0.552 mg/L* Ryder Cove Chatham Nitrogen 0.527-0.552 mg/L* Muddy Creek Chatham Nitrogen 0.527-0.552 mg/L. Upper Muddy Creek Chatham Nitrogen 0.552 mg/L. Upper Muddy Creek Chatham Nitrogen 0.552 mg/L. Upper Muddy Creek Chatham Nitrogen 0.552 mg/L. CHARLES RIVER BASIN Copper acute 25.7 chronic 18.1 μg/L. Charles River 73.4 to 9.8 Copper acute 25.7 chronic 18.1 μg/L. Confluence with Charles River dam) Copper acute 25.7 chronic 18.1 μg/L. Confluence with Charles River) Copper acute 25.7 chronic 18.1 μg/L. CHICOPEE RIVER BASIN Total Phosphorus 0.015 mg/L. Brong Pond Dakham Total Phosphorus 0.030 mg/L. Minechoag Pond Ludlow Total Phosphorus 0.030 mg/L. Mona Lake Springfield Total Phosphorus 0.030 mg/L. Spectacle Pond Wilbraham Total Phosphorus 0.015 mg/L. <t< td=""><td>Bassing Harbor System</td><td></td><td></td></t<>	Bassing Harbor System		
Crows Pond Chatham Nitrogen 0.527-0.552 mg/L*			Nitrogen 0.527-0.552 mg/L*
Frost Fish Creek Chatham Nitrogen 0.527-0.552 mg/L*		Chatham	Nitrogen 0.527-0.552 mg/L*
Lower Muddy Creek Chatham Nitrogen 0.552 mg/L		Chatham	Nitrogen 0.527-0.552 mg/L*
Lower Muddy Creek Chatham Nitrogen 0.552 mg/L		Chatham	Nitrogen 0527-0.552 mg/L*
Lower Muddy Creek Chatham Nitrogen 0.552 mg/L		Long 2000 pen	Ashara s Total Phosphia
Lower Muddy Creek Chatham Nitrogen 0.552 mg/L	Muddy Creek System		
Upper Muddy Creek Chatham Nitrogen 0.552 mg/L		Chatham	Nitrogen 0.552 mg/L
CHARLES RIVER BASIN Charles River 73.4 to 9.8 Copper acute 25.7 chronic 18.1 µg/L (new Charles River dam) Stop River 4.4 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Charles River) CHICOPEE RIVER BASIN Browning Pond Oakham Total Phosphorus 0.015 mg/L Long Pond Springfield Total Phosphorus 0.030 mg/L Minechoag Pond Ludlow Total Phosphorus 0.030 mg/L Mona Lake Springfield Total Phosphorus 0.030 mg/L Spectacle Pond Wilbraham Total Phosphorus 0.030 mg/L Sugden Reservoir Spencer Total Phosphorus 0.015 mg/L Wickaboag Pond West Brookfield Total Phosphorus 0.015 mg/L Wickaboag Pond West Brookfield Total Phosphorus 0.015 mg/L Aldrich Lake East Granby Total Phosphorus 0.030 mg/L Aldrich Lake West Granby Total Phosphorus 0.030 mg/L Bachelor Brook 12.4 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Connecticut River) Lake Warner Hadley Total Phosphorus 0.030 mg/L Lake Wyola Shutesbury Total Phosphorus 0.030 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.015 mg/L Cedar Meaow Pond Leicester Total Phosphorus 0.030 mg/L PRENCH RIVER BASIN Buffumville Lake Charlton Total Phosphorus 0.035 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.035 mg/L Total Phosphorus 0.015 mg/L Copper acute 25.7 chronic 18.1 µg/L Core Pond Charlton Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Copper acute 25.7 chronic 18.1 µg/L Core Pond Charlton Total Phosphorus 0.015 mg/L		Chatham	Nitrogen 0.552 mg/L
Charles River		Jum 120.0 :	Waganan a Pagi Pleagh
Charles River	CHARLES RIVER BAS	SIN	property lefer T visibilities
Consider Consider Copper acute		The state of the s	Copper acute 25.7 chronic 18.1 µg/L
Confluence with Charles River			Confine Marcages 2 Total Phosphological
CHICOPEE RIVER BASIN Browning Pond Oakham Total Phosphorus 0.015 mg/L Long Pond Springfield Total Phosphorus 0.030 mg/L Minechoag Pond Ludlow Total Phosphorus 0.030 mg/L Mona Lake Springfield Total Phosphorus 0.030 mg/L Spectacle Pond Wilbraham Total Phosphorus 0.030 mg/L Spectacle Pond Wilbraham Total Phosphorus 0.030 mg/L Sugden Reservoir Spencer Total Phosphorus 0.015 mg/L Wickaboag Pond West Brookfield Total Phosphorus 0.015 mg/L Wickaboag Pond West Brookfield Total Phosphorus 0.030 mg/L CONNECTICUT RIVER BASIN Aldrich Lake East Granby Total Phosphorus 0.030 mg/L Aldrich Lake West Granby Total Phosphorus 0.030 mg/L Confluence with Connecticut River) Lake Warner Hadley Total Phosphorus 0.030 mg/L Lake Wyola Shutesbury Total Phosphorus 0.030 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.030 mg/L FRENCH RIVER BASIN Buffumville Lake Charlton Total Phosphorus 0.035 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.035 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 µg/L Gore Pond Charlton, Dudley Total Phosphorus 0.015 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Hudson Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Lamer Pond Dudley Total Phosphorus 0.015 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L	Stop River		Copper acute 25.7 chronic 18.1 µg/L
CHICOPEE RIVER BASIN Browning Pond Oakham Total Phosphorus 0.015 mg/L Long Pond Springfield Total Phosphorus 0.030 mg/L Minechoag Pond Ludlow Total Phosphorus 0.030 mg/L Mona Lake Springfield Total Phosphorus 0.030 mg/L Spectacle Pond Wilbraham Total Phosphorus 0.020 mg/L Sugden Reservoir Spencer Total Phosphorus 0.015 mg/L Wickaboag Pond West Brookfield Total Phosphorus 0.015 mg/L Wickaboag Pond West Brookfield Total Phosphorus 0.015 mg/L Aldrich Lake East Granby Total Phosphorus 0.030 mg/L Aldrich Lake West Granby Total Phosphorus 0.030 mg/L Bachelor Brook 12.4 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Connecticut River) Lake Warner Hadley Total Phosphorus 0.030 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.030 mg/L FRENCH RIVER BASIN Buffumville Lake Charlton Total Phosphorus 0.035 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.035 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.025 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 µg/L Gore Pond Charlton, Dudley Total Phosphorus 0.015 mg/L Granite Reservoir Charlton Total Phosphorus 0.025 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Charlton Total Phosphorus 0.015 mg/L Greenville Pond Charlton Total Phosphorus 0.015 mg/L Greenville Pond Charlton Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L			
Browning Pond Springfield Total Phosphorus 0.015 mg/L		Dam 2500 D and	AUDbury Toral Phaselic
Browning Pond Springfield Total Phosphorus 0.015 mg/L	CHICOPEE RIVER BA	SIN	
Long Pond Springfield Total Phosphorus 0.030 mg/L			Total Phosphorus 0.015 mg/L
Minechoag Pond Ludlow Total Phosphorus 0.030 mg/L		Springfield	Total Phosphorus 0.030 mg/L
Mona Lake Springfield Total Phosphorus 0.030 mg/L			
Spectacle Pond Wilbraham Total Phosphorus 0.020 mg/L Sugden Reservoir Spencer Total Phosphorus 0.015 mg/L Wickaboag Pond West Brookfield Total Phosphorus 0.015 mg/L CONNECTICUT RIVER BASIN Aldrich Lake East Granby Total Phosphorus 0.030 mg/L Aldrich Lake West Granby Total Phosphorus 0.030 mg/L Bachelor Brook 12.4 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Connecticut River) Lake Warner Hadley Total Phosphorus 0.030 mg/L Lake Wyola Shutesbury Total Phosphorus 0.015 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.030 mg/L FRENCH RIVER BASIN Buffumville Lake Charlton Total Phosphorus 0.015 mg/L Cedar Meaow Pond Leicester Total Phosphorus 0.015 mg/L Dutton Pond Leicester Total Phosphorus 0.035 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 µg/L Gore Pond Charlton, Dudley Total Phosphorus 0.014 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.015 mg/L Greenville Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Lamer Pond Dudley Total Phosphorus 0.015 mg/L Lamer Pond Dudley Total Phosphorus 0.015 mg/L Lamer Pond Dudley Total Phosphorus 0.015 mg/L Loones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Lamer Pond Dudley Total Phosphorus 0.015 mg/L Loones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Loones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Loones Pond Oxford Total Phosphorus 0.015 mg/L Loones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Loones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Loones Pond Oxford Total Phosphorus 0.015 mg/L			
Sugden Reservoir Spencer Total Phosphorus 0.015 mg/L			
Wickaboag Pond West Brookfield Total Phosphorus 0.015 mg/L CONNECTICUT RIVER BASIN Aldrich Lake East Granby Total Phosphorus 0.030 mg/L Aldrich Lake West Granby Total Phosphorus 0.030 mg/L Bachelor Brook 12.4 to 0.0 Copper acute 25.7 chronic 18.1 μg/L (confluence with Connecticut River) Lake Warner Hadley Lake Wyola Shutesbury Total Phosphorus 0.030 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.015 mg/L FRENCH RIVER BASIN Buffunville Lake Charlton Total Phosphorus 0.015 mg/L Cedar Meaow Pond Leicester Total Phosphorus 0.015 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.025 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 μg/L Gore Pond Charlton, Dudley Total Phosphorus 0.014 mg/L Granite Reservoir Charlton Total Phosphorus 0.014 mg/L Greenville Pond Leicester Total Phosphorus 0.025 mg/L Hudson Pond Oxford Total			
CONNECTICUT RIVER BASIN Aldrich Lake East Granby Total Phosphorus 0.030 mg/L Aldrich Lake West Granby Total Phosphorus 0.030 mg/L Bachelor Brook 12.4 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Connecticut River) Lake Warner Hadley Total Phosphorus 0.030 mg/L Lake Wyola Shutesbury Total Phosphorus 0.015 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.030 mg/L FRENCH RIVER BASIN Buffunville Lake Charlton Total Phosphorus 0.015 mg/L Cedar Meaow Pond Leicester Total Phosphorus 0.015 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.035 mg/L Dutton Pond Leicester Total Phosphorus 0.025 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 µg/L Gore Pond Charlton Total Phosphorus 0.014 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Larner Pond Dudley Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.015 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L			
Aldrich Lake East Granby Total Phosphorus 0.030 mg/L Aldrich Lake West Granby Total Phosphorus 0.030 mg/L Bachelor Brook 12.4 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Connecticut River) Lake Warner Hadley Total Phosphorus 0.030 mg/L Lake Wyola Shutesbury Total Phosphorus 0.015 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.030 mg/L FRENCH RIVER BASIN Buffumville Lake Charlton Total Phosphorus 0.015 mg/L Cedar Meaow Pond Leicester Total Phosphorus 0.015 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.035 mg/L Dutton Pond Leicester Total Phosphorus 0.025 mg/L Dutton Pond Leicester Total Phosphorus 0.025 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 µg/L Gore Pond Charlton, Dudley Total Phosphorus 0.015 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.015 mg/L Larner Pond Oxford Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.015 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L	Wickhoods I olid	West Brooklick	
Aldrich Lake East Granby Total Phosphorus 0.030 mg/L Aldrich Lake West Granby Total Phosphorus 0.030 mg/L Bachelor Brook 12.4 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Connecticut River) Lake Warner Hadley Total Phosphorus 0.030 mg/L Lake Wyola Shutesbury Total Phosphorus 0.015 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.030 mg/L FRENCH RIVER BASIN Buffumville Lake Charlton Total Phosphorus 0.015 mg/L Cedar Meaow Pond Leicester Total Phosphorus 0.015 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.035 mg/L Dutton Pond Leicester Total Phosphorus 0.025 mg/L Dutton Pond Leicester Total Phosphorus 0.025 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 µg/L Gore Pond Charlton, Dudley Total Phosphorus 0.015 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.015 mg/L Larner Pond Oxford Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.015 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L	CONNECTICUT RIVE	R BASIN	
Aldrich Lake West Granby Total Phosphorus 0.030 mg/L Bachelor Brook 12.4 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Connecticut River) Lake Warner Hadley Total Phosphorus 0.030 mg/L Lake Wyola Shutesbury Total Phosphorus 0.015 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.030 mg/L FRENCH RIVER BASIN Buffumville Lake Charlton Total Phosphorus 0.015 mg/L Cedar Meaow Pond Leicester Total Phosphorus 0.015 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.035 mg/L Dutton Pond Leicester Total Phosphorus 0.025 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 µg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.015 mg/L Hudson Pond Oxford Total Phosphorus 0.025 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L			Total Phosphorus 0.030 mg/L
Bachelor Brook 12.4 to 0.0 Copper acute 25.7 chronic 18.1 μg/L Lake Warner Hadley Total Phosphorus 0.030 mg/L Lake Wyola Shutesbury Total Phosphorus 0.015 mg/L Leverett Pond Leverett Total Phosphorus 0.015 mg/L Loon Pond Springfield Total Phosphorus 0.030 mg/L FRENCH RIVER BASIN Buffumville Lake Charlton Total Phosphorus 0.015 mg/L Cedar Meaow Pond Leicester Total Phosphorus 0.015 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.035 mg/L Dutton Pond Leicester Total Phosphorus 0.025 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 μg/L Gore Pond Charlton, Dudley Total Phosphorus 0.014 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.015 mg/L Hudson Pond Oxford Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.014 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Larner Pond <t< td=""><td></td><td></td><td></td></t<>			
Confluence with Connecticut River			
Lake WarnerHadleyTotal Phosphorus 0.030 mg/LLake WyolaShutesburyTotal Phosphorus 0.015 mg/LLeverett PondLeverettTotal Phosphorus 0.015 mg/LLoon PondSpringfieldTotal Phosphorus 0.030 mg/LFRENCH RIVER BASINBuffumville LakeCharltonTotal Phosphorus 0.015 mg/LCedar Meaow PondLeicesterTotal Phosphorus 0.015 mg/LDresser Hill PondCharltonTotal Phosphorus 0.035 mg/LDutton PondLeicesterTotal Phosphorus 0.025 mg/LFrench River27.3 to 7.0 (state line)Copper acute 25.7 chronic 18.1 μg/LGore PondCharlton, DudleyTotal Phosphorus 0.014 mg/LGranite ReservoirCharltonTotal Phosphorus 0.015 mg/LGreenville PondLeicesterTotal Phosphorus 0.025 mg/LHudson PondOxfordTotal Phosphorus 0.015 mg/LJones PondCharlton, SpencerTotal Phosphorus 0.015 mg/LLarner PondDudleyTotal Phosphorus 0.014 mg/LLowes PondOxfordTotal Phosphorus 0.015 mg/L	Dacifelol Blook		
Lake WyolaShutesburyTotal Phosphorus 0.015 mg/LLeverett PondLeverettTotal Phosphorus 0.015 mg/LLoon PondSpringfieldTotal Phosphorus 0.030 mg/LFRENCH RIVER BASIN Buffumville LakeBuffumville LakeCharltonTotal Phosphorus 0.015 mg/LCedar Meaow PondLeicesterTotal Phosphorus 0.015 mg/LDresser Hill PondCharltonTotal Phosphorus 0.035 mg/LDutton PondLeicesterTotal Phosphorus 0.025 mg/LFrench River27.3 to 7.0 (state line)Copper acute 25.7 chronic 18.1 μg/LGore PondCharlton, DudleyTotal Phosphorus 0.014 mg/LGranite ReservoirCharltonTotal Phosphorus 0.015 mg/LGreenville PondLeicesterTotal Phosphorus 0.025 mg/LHudson PondOxfordTotal Phosphorus 0.015 mg/LJones PondCharlton, SpencerTotal Phosphorus 0.015 mg/LLarner PondDudleyTotal Phosphorus 0.014 mg/LLowes PondOxfordTotal Phosphorus 0.015 mg/L	Loko Worner		
Leverett PondLeverettTotal Phosphorus 0.015 mg/LLoon PondSpringfieldTotal Phosphorus 0.030 mg/LFRENCH RIVER BASIN Buffumville LakeCharltonTotal Phosphorus 0.015 mg/LCedar Meaow PondLeicesterTotal Phosphorus 0.015 mg/LDresser Hill PondCharltonTotal Phosphorus 0.035 mg/LDutton PondLeicesterTotal Phosphorus 0.025 mg/LFrench River27.3 to 7.0 (state line)Copper acute 25.7 chronic 18.1 μg/LGore PondCharlton, DudleyTotal Phosphorus 0.014 mg/LGranite ReservoirCharltonTotal Phosphorus 0.015 mg/LGreenville PondLeicesterTotal Phosphorus 0.025 mg/LHudson PondOxfordTotal Phosphorus 0.015 mg/LJones PondCharlton, SpencerTotal Phosphorus 0.015 mg/LLarner PondDudleyTotal Phosphorus 0.014 mg/LLowes PondOxfordTotal Phosphorus 0.015 mg/LTotal Phosphorus 0.015 mg/LTotal Phosphorus 0.015 mg/L		Annual Control of the	
Loon PondSpringfieldTotal Phosphorus 0.030 mg/LFRENCH RIVER BASIN Buffunville LakeCharltonTotal Phosphorus 0.015 mg/LCedar Meaow PondLeicesterTotal Phosphorus 0.015 mg/LDresser Hill PondCharltonTotal Phosphorus 0.035 mg/LDutton PondLeicesterTotal Phosphorus 0.025 mg/LFrench River27.3 to 7.0 (state line)Copper acute 25.7 chronic 18.1 μg/LGore PondCharlton, DudleyTotal Phosphorus 0.014 mg/LGranite ReservoirCharltonTotal Phosphorus 0.015 mg/LGreenville PondLeicesterTotal Phosphorus 0.015 mg/LHudson PondOxfordTotal Phosphorus 0.015 mg/LJones PondCharlton, SpencerTotal Phosphorus 0.015 mg/LLarner PondDudleyTotal Phosphorus 0.014 mg/LLowes PondOxfordTotal Phosphorus 0.014 mg/LLowes PondOxfordTotal Phosphorus 0.015 mg/L			
FRENCH RIVER BASIN Buffumville Lake Charlton Total Phosphorus 0.015 mg/L Cedar Meaow Pond Leicester Total Phosphorus 0.015 mg/L Dresser Hill Pond Charlton Total Phosphorus 0.035 mg/L Dutton Pond Leicester Total Phosphorus 0.025 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 µg/L Gore Pond Charlton, Dudley Total Phosphorus 0.014 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.025 mg/L Hudson Pond Oxford Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.015 mg/L Larner Pond Oxford Total Phosphorus 0.015 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L			
Buffumville LakeCharltonTotal Phosphorus 0.015 mg/LCedar Meaow PondLeicesterTotal Phosphorus 0.015 mg/LDresser Hill PondCharltonTotal Phosphorus 0.035 mg/LDutton PondLeicesterTotal Phosphorus 0.025 mg/LFrench River27.3 to 7.0 (state line)Copper acute 25.7 chronic 18.1 μg/LGore PondCharlton, DudleyTotal Phosphorus 0.014 mg/LGranite ReservoirCharltonTotal Phosphorus 0.015 mg/LGreenville PondLeicesterTotal Phosphorus 0.025 mg/LHudson PondOxfordTotal Phosphorus 0.015 mg/LJones PondCharlton, SpencerTotal Phosphorus 0.015 mg/LLarner PondDudleyTotal Phosphorus 0.014 mg/LLowes PondOxfordTotal Phosphorus 0.015 mg/LTotal Phosphorus 0.015 mg/LTotal Phosphorus 0.015 mg/L	Loon Pond	Springheid	Total Thosphorus 0.030 mg/L
Buffumville LakeCharltonTotal Phosphorus 0.015 mg/LCedar Meaow PondLeicesterTotal Phosphorus 0.015 mg/LDresser Hill PondCharltonTotal Phosphorus 0.035 mg/LDutton PondLeicesterTotal Phosphorus 0.025 mg/LFrench River27.3 to 7.0 (state line)Copper acute 25.7 chronic 18.1 μg/LGore PondCharlton, DudleyTotal Phosphorus 0.014 mg/LGranite ReservoirCharltonTotal Phosphorus 0.015 mg/LGreenville PondLeicesterTotal Phosphorus 0.025 mg/LHudson PondOxfordTotal Phosphorus 0.015 mg/LJones PondCharlton, SpencerTotal Phosphorus 0.015 mg/LLarner PondDudleyTotal Phosphorus 0.014 mg/LLowes PondOxfordTotal Phosphorus 0.015 mg/LTotal Phosphorus 0.015 mg/LTotal Phosphorus 0.015 mg/L	EDENICH DIVED DAG	DN .	
Cedar Meaow PondLeicesterTotal Phosphorus 0.015 mg/LDresser Hill PondCharltonTotal Phosphorus 0.035 mg/LDutton PondLeicesterTotal Phosphorus 0.025 mg/LFrench River27.3 to 7.0 (state line)Copper acute 25.7 chronic 18.1 μg/LGore PondCharlton, DudleyTotal Phosphorus 0.014 mg/LGranite ReservoirCharltonTotal Phosphorus 0.015 mg/LGreenville PondLeicesterTotal Phosphorus 0.025 mg/LHudson PondOxfordTotal Phosphorus 0.015 mg/LJones PondCharlton, SpencerTotal Phosphorus 0.015 mg/LLarner PondDudleyTotal Phosphorus 0.014 mg/LLowes PondOxfordTotal Phosphorus 0.015 mg/L			Total Phoenhorus 0.015 mg/I
Dresser Hill PondCharltonTotal Phosphorus 0.035 mg/LDutton PondLeicesterTotal Phosphorus 0.025 mg/LFrench River27.3 to 7.0 (state line)Copper acute 25.7 chronic 18.1 μg/LGore PondCharlton, DudleyTotal Phosphorus 0.014 mg/LGranite ReservoirCharltonTotal Phosphorus 0.015 mg/LGreenville PondLeicesterTotal Phosphorus 0.025 mg/LHudson PondOxfordTotal Phosphorus 0.015 mg/LJones PondCharlton, SpencerTotal Phosphorus 0.015 mg/LLarner PondDudleyTotal Phosphorus 0.014 mg/LLowes PondOxfordTotal Phosphorus 0.015 mg/LTotal Phosphorus 0.015 mg/LTotal Phosphorus 0.015 mg/L			
Dutton Pond Leicester Total Phosphorus 0.025 mg/L French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 μg/L Gore Pond Charlton, Dudley Total Phosphorus 0.014 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.025 mg/L Hudson Pond Oxford Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L			
French River 27.3 to 7.0 (state line) Copper acute 25.7 chronic 18.1 μg/L Gore Pond Charlton, Dudley Total Phosphorus 0.014 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.025 mg/L Hudson Pond Oxford Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L			
Gore Pond Charlton, Dudley Total Phosphorus 0.014 mg/L Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.025 mg/L Hudson Pond Oxford Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.014 mg/L Total Phosphorus 0.015 mg/L			
Granite Reservoir Charlton Total Phosphorus 0.015 mg/L Greenville Pond Leicester Total Phosphorus 0.025 mg/L Hudson Pond Oxford Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L		CORNEL VICTOR DE LOS CONTRACTOR DE LA CO	
Greenville Pond Leicester Total Phosphorus 0.025 mg/L Hudson Pond Oxford Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L			
Hudson Pond Oxford Total Phosphorus 0.015 mg/L Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L			
Jones Pond Charlton, Spencer Total Phosphorus 0.015 mg/L Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L			
Larner Pond Dudley Total Phosphorus 0.014 mg/L Lowes Pond Oxford Total Phosphorus 0.015 mg/L			
Lowes Pond Oxford Total Phosphorus 0.015 mg/L		- Control of the Cont	
McKinstry Pond Oxford Total Phosphorus 0.015 mg/L			
	McKinstry Pond	Uxford	1 otal Phosphorus 0.015 mg/L

^{*}The nitrogen criteria for the Bassing Harbor System are interim criteria unless, based on its assessment of Pleasant Bay, the Department determines that the nitrogen criteria for the Bassing Harbor system should remain in effect.

Peter Pond Dudley Total Phosphorus 0.010 mg/L Pikes Pond Charlton Total Phosphorus 0.015 mg/L Robinson Pond Oxford Total Phosphorus 0.012 mg/L Rochdale Pond Leicester Total Phosphorus 0.025 mg/L Shepherd Pond Dudley Total Phosphorus 0.025 mg/L Tobins (Mosquito) Pond Dudley Total Phosphorus 0.014 mg/L Wallis Pond Dudley Total Phosphorus 0.014 mg/L Wallis Pond Dudley Total Phosphorus 0.014 mg/L HUDSON RIVER BASIN Copper acute 25.7 chronic 18.1 μg/L South Branch 15.4 to 10.3 state line Copper acute 25.7 chronic 18.1 μg/L HOUSATONIC RIVER BASIN Copper acute 25.7 chronic 18.1 μg/L HOUSATONIC RIVER BASIN Copper acute 25.7 chronic 18.1 μg/L Genemwood Creek 0.7 to 0.0 Copper acute 25.7 chronic 18.1 μg/L MILLERS RIVER BASIN Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L	
Robinson Pond	
Rochdale Pond Leicester Total Phosphorus 0.025 mg/L Shepherd Pond Dudley Total Phosphorus 0.014 mg/L Texas Pond Oxford Total Phosphorus 0.014 mg/L Tobins (Mosquito) Pond Dudley Total Phosphorus 0.014 mg/L Wallis Pond Total Phosphorus 0.014 mg/L Wallis Pond Total Phosphorus 0.014 mg/L Wallis Pond Copper acute 25.7 chronic 18.1 µg/L Copper acute 25.7 chronic 18.1 µg/L Wallis Pond Total Phosphorus 0.0125 mg/L Wallis Pond Total Phosphorus 0.015 mg/L Wallis Pond Total Phosphorus 0.015 mg/L Wallis Pond Total Phosphorus 0.0127 mg/L Wallis Pond Templeton Total Phosphorus 0.0127 mg/L Wallis Pond Templeton Total Phosphorus 0.015 mg/L Wallis Pond Total Phosphorus 0.015 mg/L Wallis Pond Templeton Total Phosphorus 0.015 mg/L Wallis Pond Templeton Total Phosphorus 0.015 mg/L Wallis Pond Templeton Total Phosphorus 0.015 mg/L Wallis Pond Total Phosphorus 0.019 mg/L Wallis Pond Total Phosphorus 0.019 mg/L Wallis Pond Total Phosphorus 0.019 mg/L	
Total Phosphorus 0.014 mg/L	
Texas Pond Oxford Total Phosphorus 0.025 mg/L Tobins (Mosquito) Pond Dudley Total Phosphorus 0.014 mg/L Wallis Pond Dudley Total Phosphorus 0.014 mg/L HUDSON RIVER BASIN South Branch 15.4 to 10.3 state line Copper acute 25.7 chronic 18.1 μg/L (confluence with North Branch) HOUSATONIC RIVER BASIN Housatonic River 50.9 to 0.0 (state line) Copper acute 25.7 chronic 18.1 μg/L (confluence with Ipswich River) MILLERS RIVER BASIN Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bents Pond Templeton Total Phosphorus 0.015 mg/L Benzell Pond Templeton Total Phosphorus 0.015 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Davenport Pond Templeton Total Phosphorus 0.015 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.013 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Tobins (Mosquito) Pond Dudley Total Phosphorus 0.014 mg/L Wallis Pond Dudley Total Phosphorus 0.014 mg/L HUDSON RIVER BASIN South Branch 15.4 to 10.3 state line Copper acute 25.7 chronic 18.1 µg/L (confluence with North Branch) HOUSATONIC RIVER BASIN Housatonic River 50.9 to 0.0 (state line) Copper acute 25.7 chronic 18.1 µg/L IPSWICH RIVER BASIN Greenwood Creek 0.7 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Ipswich River) MILLERS RIVER BASIN Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bourne-Hadley Pond Gardner Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.013 mg/L Hilchey Pond Gardner Total Phosphorus 0.013 mg/L Total Phosphorus 0.019 mg/L	
Wallis Pond Dudley Total Phosphorus 0.014 mg/L HUDSON RIVER BASIN South Branch 15.4 to 10.3 state line Copper acute 25.7 chronic 18.1 μg/L (confluence with North Branch) HOUSATONIC RIVER BASIN Housatonic River 50.9 to 0.0 (state line) Copper acute 25.7 chronic 18.1 μg/L (PSWICH RIVER BASIN Greenwood Creek 0.7 to 0.0 Copper acute 25.7 chronic 18.1 μg/L (confluence with Ipswich River) MILLERS RIVER BASIN Beaver Flowage Pond Royalston Total Phosphorus 0.015 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.017 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Davenport Pond Templeton Total Phosphorus 0.017 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.013 mg/L Greenwood Pond Gardner Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.013 mg/L Hilchey Pond Gardner Total Phosphorus 0.013 mg/L	
HUDSON RIVER BASIN South Branch 15.4 to 10.3 state line Copper acute 25.7 chronic 18.1 µg/L (confluence with North Branch) HOUSATONIC RIVER BASIN Housatonic River 50.9 to 0.0 (state line) Copper acute 25.7 chronic 18.1 µg/L (confluence with Ipswich River) MILLERS RIVER BASIN Beaver Flowage Pond Bents Pond Gardner Total Phosphorus 0.0125 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Total Phosphorus 0.015 mg/L Total Phosphorus 0.0127 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.0127 mg/L Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.0139 mg/L	
South Branch 15.4 to 10.3 state line Copper acute 25.7 chronic 18.1 μg/L (confluence with North Branch)	
South Branch 15.4 to 10.3 state line Copper acute 25.7 chronic 18.1 μg/L (confluence with North Branch)	
Confluence with North Branch	
HOUSATONIC RIVER BASIN Housatonic River 50.9 to 0.0 (state line) Copper acute 25.7 chronic 18.1 μg/L IPSWICH RIVER BASIN Greenwood Creek 0.7 to 0.0 Copper acute 25.7 chronic 18.1 μg/L (confluence with Ipswich River) MILLERS RIVER BASIN Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Gardner Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Housatonic River 50.9 to 0.0 (state line) Copper acute 25.7 chronic 18.1 μg/L IPSWICH RIVER BASIN Greenwood Creek 0.7 to 0.0 Copper acute 25.7 chronic 18.1 μg/L (confluence with Ipswich River) MILLERS RIVER BASIN Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Coreenwood Pond Templeton Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Gardner Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.0139 mg/L Total Phosphorus 0.0139 mg/L Total Phosphorus 0.019 mg/L Total Phosphorus 0.019 mg/L	
Housatonic River 50.9 to 0.0 (state line) Copper acute 25.7 chronic 18.1 μg/L IPSWICH RIVER BASIN Greenwood Creek 0.7 to 0.0 Copper acute 25.7 chronic 18.1 μg/L (confluence with Ipswich River) MILLERS RIVER BASIN Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Coreenwood Pond Templeton Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Gardner Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.0139 mg/L Total Phosphorus 0.0139 mg/L Total Phosphorus 0.019 mg/L Total Phosphorus 0.019 mg/L	
Copper acute 25.7 chronic 18.1 µg/L (confluence with Ipswich River) MILLERS RIVER BASIN	
Greenwood Creek 0.7 to 0.0 Copper acute 25.7 chronic 18.1 μg/L MILLERS RIVER BASIN Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Greenwood Creek 0.7 to 0.0 Copper acute 25.7 chronic 18.1 µg/L (confluence with Ipswich River) MILLERS RIVER BASIN Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.0127 mg/L Total Phosphorus 0.015 mg/L Total Phosphorus 0.0139 mg/L Total Phosphorus 0.0139 mg/L Total Phosphorus 0.019 mg/L Total Phosphorus 0.019 mg/L	
Confluence with Ipswich River	
MILLERS RIVER BASIN Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.013 mg/L Hilchey Pond Gardner Total Phosphorus 0.013 mg/L Total Phosphorus 0.013 mg/L	Yes 2 Journal of
Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.012 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.015 mg/L Hilchey Pond Gardner Total Phosphorus 0.0139 mg/L Total Phosphorus 0.019 mg/L Total Phosphorus 0.019 mg/L	
Beaver Flowage Pond Royalston Total Phosphorus 0.0125 mg/L Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.012 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.013 mg/L Hilchey Pond Gardner Total Phosphorus 0.013 mg/L Total Phosphorus 0.013 mg/L Total Phosphorus 0.019 mg/L	
Bents Pond Gardner Total Phosphorus 0.015 mg/L Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.012 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.013 mg/L Hilchey Pond Gardner Total Phosphorus 0.013 mg/L Total Phosphorus 0.013 mg/L Total Phosphorus 0.013 mg/L	
Bourne-Hadley Pond Templeton Total Phosphorus 0.015 mg/L Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.013 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L Total Phosphorus 0.019 mg/L	Tippe Alde River
Brazell Pond Templeton Total Phosphorus 0.015 mg/L Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Cowee Pond Gardner Total Phosphorus 0.0127 mg/L Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Davenport Pond Petersham, Athol Total Phosphorus 0.0127 mg/L Depot Pond Templeton Total Phosphorus 0.015 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Depot Pond Templeton Total Phosphorus 0.015 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Depot Pond Templeton Total Phosphorus 0.015 mg/L Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Ellis Pond Athol Total Phosphorus 0.015 mg/L Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Greenwood Pond Templeton Total Phosphorus 0.015 mg/L Greenwood Pond Westminster Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Greenwood Pond Westminster Total Phosphorus 0.0139 mg/L Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Hilchey Pond Gardner Total Phosphorus 0.019 mg/L	
Lake Denison Winchendon Total Phosphorus 0.015 mg/L	
Lake Monomonac Winchendon Total Phosphorus 0.0133 mg/L	
Lower Naukeag Lake Ashburnham Total Phosphorus 0.0145 mg/L	
Minott Pond Westminster Total Phosphorus 0.015 mg/L	
Minott Pond South Westminster Total Phosphorus 0.011 mg/L	
Parker Pond Gardner Total Phosphorus 0.015 mg/L	
Ramsdall Pond Gardner Total Phosphorus 0.015 mg/L	
Reservoir No. 1 Athol Total Phosphorus 0.015 mg/L	
Reservoir No. 2 Phillipston, Athol Total Phosphorus 0.0051 mg/L	
Riceville Pond Petersham, Athol Total Phosphorus 0.015 mg/L	
South Athol Pond Athol Total Phosphorus 0.015 mg/L	
Stoddard Pond Winchendon Total Phosphorus 0.015 mg/L	
Wallace Pond Ashburnham Total Phosphorus 0.0137 mg/L	
Ward Pond Athol Total Phosphorus 0.015 mg/L	
Whites Mill Pond Winchendon Total Phosphorus 0.015 mg/L	
Whitney Pond Winchendon Total Phosphorus 0.015 mg/L	
Wrights Reservoir Gardner, Westminster Total Phosphorus 0.0135 mg/L	
Tights Reservoir Children, westimister Total I nosphoras 0.0133 mg/D	
NASHUA RIVER BASIN	
Bare Hill Pond Harvard Total Phosphorus 0.030 mg/L	
North Branch, 36.5 to 0.0 Copper acute 25.7 chronic 18.1 μg/L	

314 CMR: LIVISION OF WATER POLLUTION CONTROL

Nashua River	(confluence with Nashua River)		
South Branch,	3.3 to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
Nashua River	(confluence with Nashua River)	ro(d.lato)	
QUINEBAUG RIVER BA	SIN		
	5.1 to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
Cady Brook	(confluence with Quinebaug River		
O : 1	19.7 to 7.9 (state line)	Copper acute 25.7 chronic 18.1 μg/L	
Quinebaug River	19.7 to 7.9 (state line)	Copper acute 23.7 cm ome 18.1 µg/L	
SOUTH COASTAL DRA	INAGE AREA		
French Stream	19.0 to 15.7	Copper acute 25.7 chronic 18.1 µg/L	
Trenen Stream	(confluence with Drinkwater River)		. 1/100
	(confidence with principle		
SUASCO RIVER BASIN			
Assabet River	30.4 to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
	(confluence with Sudbury River)		
Lake Boon	Hudson, Stow	Total Phosphorus 0.020 mg/L	
TAUTON RIVER BASIN	T a	1.	
Nemasket River	5.5 to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
	(confluence with Taunton River)	inner with lapwich River)	
Salisbury Plain	2.0 to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
<u> </u>	(confluence with Taunton River)		
Three Mile River	6.0 to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
111100 111110 101101	(confluence with Mill River)	and faint.	
Town River	2.2 to 0.0	Copper acute 25.7 chronic 18.1 µg/L	
1011111111	(confluence with Taunton River)	model lengt 2 model	
	Num CE lO C secola		
TEN MILE RIVER BASI	Thum 17, 10,0 smode		
TEN MILE RIVER BASI Ten Mile River	Thum 17, 10,0 smode	Copper acute 25.7 chronic 18.1 µg/L	
	N Call 27 mg/s	Copper acute 25.7 chronic 18.1 µg/L	
	<u>N</u> 14.0 to 0.0	Ford Shor	
Ten Mile River	N 14.0 to 0.0 SIN 10.8 to 0.0	Copper acute 25.7 chronic 18.1 μg/L	
Ten Mile River WESTFIELD RIVER BA	N 14.0 to 0.0 SIN	Copper acute 25.7 chronic 18.1 μg/L	